برنامه نویسی شیء گرا


سید هادی هاشمی کیارش بازرگان (از اسلایدهای دکتر رامتین خسروی دانشگاه تهران نیز استفاده شده است)

برنامه های پیچیده

Grand Auto Theft (game)



http://www.gamershell.com/pc/gta_2/screenshots.html?id=3



Representing Form Data

```
char name[100];
long ssn;
struct Date {
   int day;
   int month;
   int year;
} bdate;
```

Name	Registration Form	
SSN		
Birth Date		

Discussion

What's wrong with our method of storing dates?

```
struct Date {
    int day;
    int month;
    int year;
} bdate;
```



Problems with Date

Problem 1 – Inconsistent Data

```
bdate.day = 31;
bdate.month = 8;
bdate.year = 1379;
```

Our data type is insecure

Problems with Date

Problem 2 – Changing the Representation

```
typedef long Date;
```

Number of days since a fixed origin

```
bdate.day = 31;
bdate.month = 6;
bdate.year = 1379;
bdate = 29041;
```

Our data type is **inflexible**



- The real problem is with clients of Date
- Who are the clients of your code?

Yourself!

Co-workers in your team


Customers of your libraries

All developers in the world!


control over the client



Interface and Implementation



تجرید Abstraction




تجريدAbstraction






A Date Object




Multiple Objects



We can have many date objects
 Storing various values in their fields

Storing various values in their fields



Multiple Objects





Multiple Objects




~

Class






Inheritance وراثت



Polymorphism چند ریختی



ترکیب Composition

